

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/974,923		0/10/2001	Kelan C. Silvester	INTL-0667-US (P12985)	1093	
21906	7590	10/24/2006	EXAMINER			
TROP PRUNER & HU, PC 1616 S. VOSS ROAD, SUITE 750 HOUSTON, TX 77057-2631			•	COLIN, CARL G		
				ART UNIT	PAPER NUMBER	
			•	2136		

**DATE MAILED: 10/24/2006** 

Please find below and/or attached an Office communication concerning this application or proceeding.



## UNITED STATES DEPARTMENT OF COMMERCE

## U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION		ATTORNEY DOCKET NO.
09/974,923	10/20/2001	Kelan C. Silveste	INTL-0667-US (P12989	
			EXAMINER	
			Colin, Carl G	
			ART UNIT	PAPER
			2136	20061019

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

## **Commissioner for Patents**

In response to communications received on 10/17/06 from the BPAI upon the Examiner's Answer, filed on 6/19/2006, the proposed amendment(s) filed by Applicant on 2/16/06 has been received by the Office but will not be entered for purposes of appeal. The last amendment filed on 2/16/06, does not place the application in condition for allowance; Applicant has changed the dependency of some of the claims, and as a result, the scope of the claimed invention has been changed as amended, which raises new issues. The proposed amendments filed on 2/16/06 after final and after a notice of appeal are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal. For at least the reasons cited above, the pending amendment will not be entered.

NASSER MOAZZAMI SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100

10,20,06